



MATERIAL SAFETY DATA SHEET

Section 1 – Product and Company Identification

Material name	Salerm Relaxer ExtraStrong Cream
MSDS#	ART. 343
Revision date	20-apr-2006
CAS#	Mixture
Product use	Hair relaxer
Company information	SALERM COSMETICA PROFESIONAL SA Pza. Victor Martinez 08185 Lliça de Vall BARCELONA Spain
Emergency	U.S.A. Emergency telephone 01 973 745 0410 SPAIN Emergency telephone 0034 93 860 8130
General information	Business telephone 0034 93 860 8111

Section 2 – hazards identification

Route(s) of entry

Inhalation:	Yes
Ingestion:	Yes
Skin:	Yes

Signs and Symptoms of Exposure

Burning to eyes (Risk of serious damage to eyes)

Avoid contact with the skin. Causes skin burns

Do not breathe gas/fumes/vapour/spray. Irritating to respiratory system.

Do not ingest. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. Irritating to mouth, throat, and stomach.

Carcinogenicity(NTP): No

Carcinogenicity(IARC): No

Carcinogenicity(OSHA): No

Section 3- Composition/ Information on Ingredients

Chemical Identity	CAS Numbers	Approx %
SODIUM HYDROXIDE	1310-73-2	< 3,1
Non-hazardous and other components below reportable levels		> 90

Section 4- First Aid Measures

Eye Contact: Rinse well with plenty of running water for at least 20 minutes. Seek medical attention if irritation persists.

Skin Contact: Soap and water can be used to remove the product from the skin. If skin irritation persists, call a physician

Ingestion: Do not induce vomiting. Clean mouth with water and drink afterwards plenty of water. Call a Physician or Poison Control Center immediately. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Inhalation: Move to fresh air. In case of difficulty in breathing, seek medical advice.

Section 5- Fire-Fighting Measures

Suitable Extinguishing Media: Water Spray; Foam; Carbon Dioxide; Dry Chemical

Special exposure hazards arising from chemical: Contact with combustible material may cause fire. The release of the following substances is possible in a fire: Nitrogen oxides (NO_x), Sulphur oxides, Ammonia, Ozone, Carbon oxides.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus and protective suit.

Additional information: Contaminated extinguishing water and soil must be disposed of in accordance with official regulations.

Section 6 – Accidental Release Measures

Personal precautions: Wear protective clothing. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Keep away from combustible material.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods for cleaning up/taking up: Take up mechanically and collect in suitable container for disposal. Do not soak up with combustible material, e.g. paper. Small spills can be cleaned up with rags, paper towels or a mop. Cleaning materials and equipment should be rinsed well with water before storage or disposal. Large spills can be picked up with an inert absorbent. Contaminated absorbent should be disposed of

properly. Rinse area with water to remove residual product. Beware of slippery floors.

Section 7- Handling and Storage

Handling: Avoid contact with skin, eyes and clothing. Do not breathe gas /fumes/vapour/spray.

Storage: Keep in a dry ,cool place. Keep out of reach of children. Keep container tightly closed. Keep the container dry. Use care in handling/storage. Keep this material away from food, drink and animal feed.

Section 8 – Exposure Controls and Personal Protection

Exposure guidelines

ACGIH- Threshold Limits Values- Ceilings (TLV-C)

Sodium Hydroxide 1310-73-2 2 Mg/m3 Ceiling

ACGIH- Threshold Limits Values- TLV Basis –Critical Effects

Sodium Hydroxide 1310-73-2 Irritation

OSHA-Final PELs-Time Weighted Averages (TWAs)

Sodium Hydroxide 1310-73-2 2 Mg/m3 TWA

Engineering controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Section 9 – Physical and Chemical Properties

Appearance	Cream
Odour	Characteristic
Specific gravity	1.01-1.03g/ml
Solubility in water	soluble
Melting point	Not known
Boiling point	Not known
pH	12.5 +/-0.5
VOC(weight %)	0 % estimated

Section 10 – Stability and Reactivity

Incompatibilities: Amines, Caustics. Isocyanates. Strong acids. Strong oxidizing agents.

Section 11- Toxicological Information

Acute effects Causes burns. Acute LD50:32783 mg/kg, Rat, Dermal

Component analysis-LD50

Toxicology Data- Selected LD50s and LC50s

Sodium hydroxide 1310-73-2 Dermal LD50 Rabitt: 1350 mg/kg

Local effects Irritating to eyes and skin

Chronic effects Prolonged exposure may cause chronic effects

Section 12 – Ecological Information

Ecotoxicity

Components of this product are hazardous to aquatic life

Section 13 – Disposal Considerations

Advice on disposal

This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4(b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

Section 14- Transport Information

ADR

Basic shipping requirements:

Proper shipping name:	Corrosive solids, n.o.s.(SODIUM HYDROXIDE)
Hazard class:	8
Un number	1759
Packaging group	III
Transport Category	3

IATA

Basic shipping requirements:

Proper shipping name:	Corrosive solids, n.o.s.(SODIUM HYDROXIDE)
Hazard class:	8
Un number	1759
Packaging group	III
Packaging instructions	822

ICAO

Basic shipping requirements:

Proper shipping name:	Corrosive solids, n.o.s.(SODIUM HYDROXIDE)
Hazard class:	8
Un number	1759
Packaging group	III

IMDG

Basic shipping requirements:

Proper shipping name:	Corrosive solids, n.o.s.(SODIUM HYDROXIDE)
Hazard class:	8
Un number	1759
Packaging group	III

Section 15 – Regulatory Information

US federal regulations This product is a “ Hazardous Chemical” as defined by the OSHA Hazard Communication Standard , 29 CFR 1910.1200

FDA-Direct Food Additives

Sodium Hydroxide 1310-73-2 21 CFR 173.310

FDA-Food Additives Generally Recognized as Safe (GRAS)

Sodium Hydroxide 1310-73-2 21 CFR 184.1763

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemicals Yes

CERCLA (Superfund) reportable quantity None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Immediate hazard- Yes
- Delayed Hazard – Yes
- Fire Hazard – No
- Pressure Hazard – No
- Reactivity Hazard – No

Section 302 extremely hazard substance **No**

Section 311 hazardous chemical **Yes**

Section 16 - Other Information

List of relevant R phrases R36/38 irritating to eyes and skin

Disclaimer

The information presented herein is based on experimental data submitted by the manufacturers of the raw materials and is considered scientifically correct, however, no warranty, expressly implied or otherwise, is made to the accuracy or suitability of this information to the purchaser's intended purpose or for consequences of its use. Use these materials only as directed. For further information concerning product safety and use, call the number listed on the front of the MSDS.

This Material Safety Data Sheet cancels and replaces any previous edition.